

# REPORT DOCUMENTATION PAGE

Form Approved  
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE	3. REPORT TYPE AND DATES COVERED FINAL REPORT 01 Apr 93 - 31 Aug 96	
4. TITLE AND SUBTITLE ANTIPROTON STUDIES OF MASS SPECTROSCOPY			5. FUNDING NUMBERS 61102F 2301/DS	
6. AUTHOR(S) Professor Gabrielse				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Harvard University Department of Physics Cambridge, MA 02138			AFOSR-TR-96 0543	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) AFOSR/NE 110 Duncan Avenue Suite B115 Bolling AFB DC 20332-8080			10. SPONSORING/MONITORING AGENCY REPORT NUMBER  F49620-93-1-0243	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION/AVAILABILITY STATEMENT  APPROVED FOR PUBLIC RELEASE: DISTRIBUTION UNLIMITED			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words)  The precise mass comparison of the antiproton and proton is a very important scientific test, being the most stringent test of CPT invariance for a baryon system. This scientific objective has led CERN, the nuclear and particle physics laboratory of Europe, to provide a unique access to the world's exceedingly limited supply of antiprotons. Pursuit of this scientific goal has made possible the development of techniques to slow and cool antiprotons, reducing their energy by a factor of 10,000,000,000 and also development of techniques for capturing, storing, and accumulating large numbers of antiprotons. The nondestructive containment of antimatter in a small volume has thus now been clearly demonstrated. Based on the many things learned in this series of experiments, the focus is now on increasing the number of trapped antiprotons. During this past year there has also been success in accumulating and storing positrons in much larger numbers, in a trap environment very similar to that used for storing antiprotons. The hope now is to combine the low energy antiprotons and the low energy positrons to make antimatter atoms for the first time. Test experiments with electrons and protons are encouraging.				
14. SUBJECT TERMS  DTIC QUALITY INSPECTED 2			15. NUMBER OF PAGES	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT	

Harvard University  
Cambridge, MA 02138

Progress Report to the Air Force Office for Scientific Research


**ANTIPROTON STUDIES AND MASS SPECTROSCOPY**

Grant Number: F49620-93-1-0243

Period: April 1, 1993 through September 1, 1995

From: Harvard University, Department of Physics, Cambridge, MA 02138

Principal Investigator: Gerald Gabrielse (351-44-0371)

Signature: 

Phone: 617-495-4381

19961122 142

1. **OBJECTIVES** - List the objectives of the research effort of the statement of work. This may be omitted if there has been no change. State new or revised objectives if they have changed and the reason why.

Objectives remain the same.

2. **STATUS OF EFFORT** - A brief statement of progress towards achieving the research objectives. (Limit to 200 words.)

The precise mass comparison of the antiproton and proton is a very important scientific test, being the most stringent test of CPT invariance for a baryon system. This scientific objective has given us a unique access to the world's exceedingly limited supply of antiprotons. Moreover, these antiprotons are provided to us free of charge by CERN, the nuclear and particle physics laboratory of Europe. In a pursuit of a pure science goal, we have been able to develop the techniques to slow and cool antiprotons, reducing their energy by a factor of 10,000,000,000. We also developed the techniques for capturing, storing, and accumulating large numbers of antiprotons. The nondestructive containment of antimatter in a small volume has thus now been clearly demonstrated. Based on the many things we have learned in this series of experiments, we are now focusing on increasing the number of trapped antiprotons. During this past year we have also succeeded in accumulating and storing positrons in much larger numbers, in a trap environment very similar to that used for storing antiprotons. (The positron experiments were not supported by AFOSR.) The hope now is to combine the low energy antiprotons and the low energy positrons to make antimatter atoms for the first time. Test experiments with electrons and protons are encouraging.

3. **ACCOMPLISHMENTS/NEW FINDINGS** - Describe research highlights, their significance to the field, their relationship to the original goals, their relative to the AF's mission, and their potential applications to AF and civilian technology challenge.

For some time, in and outside of the Air Force, there has been speculation about possible uses for confined antimatter. In the Star Trek television series, confined antimatter propelled the Enterprise. Speculations about the possible confinement of antimatter and about the uses of confined antimatter have been carried out by people with a dangerously wide range of expertise. Some have simply watched too much Star Trek, while others have carried out a more informed and thoughtful analysis.

A major problem has always been an almost complete lack of hard experimental information and experience with antimatter confinement. The reason is that antiprotons are in extremely short supply. Right now, the only place where low energy antiprotons are available is the CERN Laboratory in Geneva, Switzerland. Obtaining antiprotons from this unique facility requires a scientific goal and a recognized experimental expertise, especially for Americans insofar as our government does not support the European CERN Laboratory. Access to antiprotons is awarded competitively and there are many more European groups requesting access to antiprotons than can possibly be accommodated.

Our scientific goal of comparing the masses of the antiproton and proton, the most stringent test of CPT invariance with the baryon system, has required and allowed us to develop many antimatter cooling and confinement techniques. The number of antiprotons cooled and captured in these initial experiments has been modest as one would expect for initial studies on a new frontier. However steady progress has been made and continues. We now know that heavy antimatter particles can be slowed and cooled tremendously, reducing their energy by a factor of 10,000,000,000. We now know that antiprotons can be confined and stored for months at a time. Although much more will be said about the new techniques and demonstrations arising from this antiproton research program, the point here is that a base of demonstrated techniques related to confinement of antimatter has been established and is growing. The slowing, cooling, and confinement which we now do routinely was considered by some to be outlandish and impossible at the outset of this antiproton research project.

The base of understanding, expertise, and techniques related to antimatter confinement and use has been the payoff to the Air Force so far. In the future, the expectation is that this base will expand to include larger and larger numbers of confined antiprotons and the production of the first antimatter atoms, antihydrogen. The scientific motivations for continued antiproton study are strong and are admired at the CERN Laboratory, as are the experimental accomplishments we have made while supported by A

FOSR. This will insure our unique access to antiprotons at CERN as long as CERN elects to continue antiproton production.

#### 4. PERSONNEL SUPPORTED

##### (a) Faculty

Gerald Gabrielse

##### (b) Post-Docs

Kamal Abdullah

Wolfgang Quint

Gary Rouleau

##### (c) Graduate Students

Loren Haarsma

David Hall

Paul Janzen

Anton Khabbaz

Lisa Lapidus

Steven Peil

David Phillips

Ching-hua Tseng

#### 5. PUBLICATIONS

1. "One Electron in a Cavity,"  
G. Gabrielse and J. Tan  
in *Cavity Quantum Electrodynamics*, edited by P. Berman, [Academic Press, New York, p. 267, 1994].
2. "Parametrically-Pumped Electron Oscillators"  
J. Tan and G. Gabrielse  
*Phys. Rev. A.*, **48**, 3105 [1993].
3. "Extremely Cold Antiprotons, For Mass Measurements and Antihydrogen"  
G. Gabrielse, W. Jhe, D. Phillips, W. Quint, C. Tseng, L. Haarsma, K. Abdullah, J. Gröbner, H. Kalinowsky  
in *Atomic Physics 13. Thirteenth International Conference on Atomic Physics*, (American Institute of Physics, New York, NY), 85 [1993].
4. "The Magnetic Moment of the Antiproton".  
W. Quint and G. Gabrielse  
*Hyperfine Interactions* **76**, 379 [1993].
5. "(Anti)Hydrogen Recombination Studies in a Nested Penning Trap"  
W. Quint, R. Kaiser, D. Hall, G. Gabrielse  
*Hyperfine Interactions* **76**, 181 [1993].
6. "Extremely Cold Antiprotons for Antihydrogen Production"  
G. Gabrielse, W. Jhe, D. Phillips, W. Quint, C. Tseng, L. Haarsma, K. Abdullah, J. Gröbner, H. Kalinowsky  
*Hyperfine Interactions* **76**, 81 [1993].
7. "Portable Trap Carries Particles 5000 Kilometers"  
C. Tseng and G. Gabrielse  
*Hyperfine Interactions* **76**, 381 [1993].
8. "Extremely Cold Positrons for Antihydrogen Production"  
L. Haarsma, K. Abdullah, G. Gabrielse  
*Hyperfine Interactions* **76**, 143 [1993].

9. "Observing a Single Trapped Antiproton"  
G. Gabrielse, W. Jhe, D. Phillips, W. Quint, H. Kalinowsky, J. Gröbner  
*Nuclear Physics A* 558, 701c [1993].
10. "A Single Trapped Antiproton and Antiprotons for Antihydrogen Production"  
G. Gabrielse, W. Jhe, D. Phillips, W. Quint, L. Haarsma, K. Abdullah, H. Kalinowsky, J. Gröbner  
*Hyperfine Interactions* 81, 5 [1993].
11. "Trapped Positrons for Antihydrogen"  
G. Gabrielse, L. Haarsma, K. Abdullah  
*Hyperfine Interactions* 89, 371 [1994].
12. "Extremely Cold Positrons Accumulated Electronically in High Vacuum"  
L. Haarsma, K. Abdullah, G. Gabrielse  
*Phys. Rev. Lett.* 75, 806 [1995].
13. "One-Electron Parametric Oscillator"  
C.H. Tseng and G. Gabrielse  
*Appl. Phys. B* 60, 95 [1995].
14. "Special Relativity and the Single Antiproton: Forty-fold Improved Comparison of  $\bar{P}$  and  $P$  Charge-to-Mass Ratios"  
G. Gabrielse, D. Phillips, W. Quint, H. Kalinowsky, G. Rouleau, W. Jhe  
*Phys. Rev. Lett.* 74, 3544 [1995].
15. "New Comparison of  $\bar{P}$  and  $P$  Charge-to-Mass Ratios"  
G. Gabrielse, D. Phillips, W. Quint, H. Kalinowsky, G. Rouleau, W. Jhe  
to be published in *Proc. of LEAP '94 Conference* [February 1995].
16. "Extremely Cold Positrons for Antihydrogen"  
G. Gabrielse, L. Haarsma, K. Abdullah  
to be published in *Proc. of LEAP '94 Conference* [February 1995].
17. "Electronic Accumulation of Extremely Cold Positrons in Ultrahigh Vacuum"  
K. Abdullah, L. Haarsma, G. Gabrielse  
*Physica Scripta* [in press].
18. "Improved Comparison  $\bar{P}$  and  $P$  Charge-to-Mass Ratios"  
D. Phillips, W. Quint, G. Gabrielse  
*Physica Scripta* [in press].
19. "Relativistic Mass Increase at Slow Speeds"  
G. Gabrielse  
*Am. J. Phys.* 63, 568 [1995].

## 6. INTERACTIONS/TRANSITIONS

### (a) Participation at Meetings, Conferences, Seminars, etc.

1993

- Feb. 11 American Association for the Advancement of Science, Public Science Day, Cambridge Rindge and Latin School [invited lectures]  
 Feb. 12 American Association for the Advancement of Science, Boston [invited lecture]  
 Feb. 17 University of Delaware [physics colloquium]  
 Feb. 25 Workshop on Traps for Antimatter and Radioactive Nuclei [TRIUMF], University of British Columbia, Vancouver [invited lecture]  
 Mar. 12 McGill University, Montreal [physics colloquium]  
 Mar. 25 Society of Physics Students, Worcester Polytechnic Institute [invited lecture]  
 Apr. 13 Washington D.C. Meeting of the American Physical Society [undergraduate address]  
 Apr. 14 Washington D.C. Meeting of the American Physical Society [invited lecture]

Apr. 20 Brookhaven National Laboratory [physics colloquium]  
 May 4 Quantum Electronics Laser Science Conference, Baltimore [invited lecture]  
 May 17 Meeting of the Division of Atomic, Molecular, and Optical Physics of the American Physical Society [Reno, NV] [invited lecture]  
 June 3 California Institute of Technology physics colloquium  
 June 15 CSI [Darmstadt, Germany] [physics colloquium]  
 June 22 University of Bern, Switzerland [physics colloquium]  
 June 23 University of Geneva, Switzerland [physics colloquium]  
 July 5 Gordon Conference [New Hampshire] [invited lecture]  
 July 16 Positron Satellite Meeting to ICPEAC, Bielefeld, Germany [invited lecture]  
 Sept. 15 2nd Workshop on Nucleon-Antinucleon Physics [NAN '93], Institute of Theoretical Physics, Moscow  
 Oct. 27 McMaster University, Hamilton, Ontario, Canada [physics colloquium]  
 Oct. 28 University of Toronto, Toronto, Canada [physics colloquium]  
 Nov. 8 Harvard University [physics colloquium]  
 Nov. 17 Manne Siegbahn Memorial Lecture, Stockholm, Sweden [invited lecture]

## 1994

Jan. 6 American Association of Physics Teachers, San Diego [plenary lecture]  
 Jan. 31 North Carolina State University, Raleigh [Derieux Science Lecture]  
 Mar. 11 Harvard University [joint seminar for the History and Philosophy of 20th Century Science]  
 July 20 Nonneutral Plasma Workshop, University of California, Berkeley [invited lecture]  
 Aug. 24 Nobel Symposium 91 on Trapped Charged Particles and Fundamental Physics, Lysekil, Sweden [invited lecture]  
 Sept. 17 3rd Biennial Conference on Low-Energy Antiproton Physics [LEAP '94], Bled, Slovenia [invited lecture]  
 Nov. 7 University of Washington, Seattle [physics colloquium]

- (b) Consultative and Advisory functions to other laboratories and agencies, especially Air Force and other DoD laboratories. Provide factual information about the subject matter, institutions, locations, dates and name(s) of principal individuals involved.

This spring I spent a lot of time on the telephone responding to questions about the small business initiative which was related to our self-shielding solenoid invention. I provided information and answered questions to at least six or eight different companies. Very recently I have been approached by the Intermagnetics Corporation, which I believed was awarded the SBIR grant. I have provided additional information to them and may be working with them further.

- (c) Transitions. Describe cases where knowledge resulting from your effort is used, or will be used, in a technology application. Transitions can be to entities in the DoD, other federal agencies, or industry. Briefly list the enabling research, the laboratory or company, and an individual in that organization who made use of your research.

Two of the most important research results summarized in the last section are technological developments which are having a wider impact.

The superconducting solenoid system was patented by Harvard University and has been licensed by several companies. Currently such systems are available from three different superconducting solenoid companies. They are being used by chemists and biologists doing ion cyclotron resonance (ICR), and they are being used for NMR experiments. When nearby elevators operate and the subway goes by, the magnetic field fluctuations which otherwise could perturb such measurements are reduced to negligible levels by a self-shielding superconducting solenoid system. Though it will

take some more time, I expect that our invention will eventually be used for magnetic resonance imaging (MRI) insofar as it should make it possible to locate such facilities near hospital elevators, for example.

The open access Penning trap discussed in the last section is increasingly being used for ion cyclotron resonance applications. Its electrostatic properties are significantly better than the rectangular ICR cells which have been used most commonly for chemical and biological studies. The large access to the trap center which we needed to get antiprotons in our trap is also useful for getting protein fragments and large molecules into the trap. These devices were not patented because the university was uncertain that it could recover the funds which would be expended to obtain patents. The devices are being widely used nonetheless.

(d) **NEW DISCOVERIES, INVENTIONS, OR PATENT DISCLOSURES**

None

(e) **HONORS/AWARDS**

Fellow of the American Physical Society, 1992